


Door Accessories




Turn and Emergency Coin Release With Indicator


EN-TE-001




EN-TE-002




EN-TE-003




EN-TE-004



EN-TE-005



EN-TE-006




Specifications


- Material : Stainless Steel 304/ 316 grade
- Applicable : Wooden door, Metal door, Bathroom door
- Door thickness : 35mm- 55mm
- Spindle : 6 x 6, 8 x 8 mm

Turn and Emergency Coin Release With Indicator


EN-TE-007




EN-TE-008



EN-TE-009



EN-TE-010



Specifications

- Material : Stainless Steel 304/ 316 grade
- Applicable : Wooden door, Metal door, Bathroom door
- Door thickness : 35mm- 55mm
- Spindle : 6 x 6, 8 x 8 mm

Door Protection Plates

Kick Plate

Armor Plate

Mop Plate

Stretcher Plate

- Dimensions: 1.5 mm Thickness
- Length : as per request
- Height : as per request
- Finish : SSS & PSS

EN-KP-200DW



Kick Plate

EN-AP-1000DW



Armor Plate

EN-MP-150DW



Mop Plate

EN-SP-300DW



Stretcher Plate

Door Push and Pull Plates

Push Plate

Pull Plate

Signages

- Material : Stainless Steel 304/316
- Thickness : 1.5 mm, 2.0 mm, 3.0 mm
- Application : Wooden Doors, Metal Doors, Aluminium Doors.

Push Plate

EN-PP-001



Push plate (Square type)

Item code

A: 100 x 300 x 1.5 mm

EN-PP-001A

B: 100 x 300 x 2.0 mm

EN-PP-001B

C: 75 x 300 x 1.5 mm

EN-PP-001C

D: 75 x 300 x 2.0 mm

EN-PP-001D

EN-PP-002



Push plate (Square type)

All plates are drilled and countersunk as standard with radius corners

Engraved to order

Item code

A: 100 x 300 x 1.5 mm

EN-PP-002A

B: 100 x 300 x 2.0 mm

EN-PP-002B

C: 75 x 300 x 1.5 mm

EN-PP-002C

D: 75 x 300 x 2.0 mm

EN-PP-002D

EN-PP-003



Push plate

A: 100 x 400 x 1.5 mm EN-PP-003A

B: 100 x 400 x 2.0 mm EN-PP-003B

EN-PP-004



Push plate

A: 100 x 400 x 1.5 mm EN-PP-004A

B: 100 x 400 x 2.0 mm EN-PP-004B

Door Push and Pull Plates

EN-PP-005



Blank Push	Item code
A: 100 x 300 x 1.5 mm	EN-PP-005A
B: 100 x 300 x 2.0 mm	EN-PP-005B
C: 100 x 400 x 1.5 mm	EN-PP-005C
D: 100 x 400 x 2.0 mm	EN-PP-005D

Pull Plate

EN-PP-006



Pull handle with plate	Item code
A: 170 x 170 x 1.5 mm	EN-PP-006A
	EN-PP-006B
B: 170 x 170 x 2.0 mm	EN-PP-006C
C: 170 x 170 x 3.0 mm	EN-PP-006D

Pull handle with Plate

EN-PP-007



Pull handle with plate	Item code
A: 100 x 300 x 1.5 mm	EN-PP-007A
B: 100 x 300 x 2.0 mm	EN-PP-007B
C: 100 x 400 x 1.5 mm	EN-PP-007C
D: 100 x 400 x 2.0 mm	EN-PP-007D


EN-PP-008



Pull plate with handle	Item code
A: 100 x 300 x 1.5 mm	EN-PP-008A
B: 100 x 300 x 2.0 mm	EN-PP-008B
Handle : Ø22 x C to C 203mm	

Door Push and Pull Plates

EN-PP-009



A

B

Applications : Schools, Commercial & Industrial Buildings

Multifamily & mixed-use


Government & Military Facilities

Public Buildings & Facilities

Size : A: 100 x 400 x 1.5mm EN-PP-009A

B: 100 x 400 x 2.0mm EN-PP-009B

EN-PP-010



A

B

Applications : Schools, Commercial & Industrial Buildings

Multifamily & mixed-use

Government & Military Facilities

Public Buildings & Facilities

Size : A : 100 x 400 x 1.5mm EN-PP-020

B: 100 x 400 x 2.0mm EN-PP-021

Door Accessories

EN-SA-001



Male

- Washroom (Square type)
- Size : 100 x 100 x 1.5 mm

EN-SA-002



Female

- Washroom (Square type)
- Size : 100 x 100 x 1.5 mm

EN-SA-003



- Unisex Public Washroom (Square type)
- Size : 130 x 170 x 1.5 mm

EN-SA-004



Disabled


- Washroom (Square type)
- Size : 100 x 100 x 1.5 mm

EN-PP-005



- Fire Door Signature(Square type)
- Size : Ø 76 x 1.5 mm


EN-PP-006-A



Pull plate (Round plate)

Size : Ø76 x 1.5 mm


EN-PP-006-B



Pull plate (Round plate)


Size : Ø76 x 1.5 mm

Door Viewers




Door Viewer


EN-DV-001



EN-DV-002



EN-DV-003



Specifications

- Material : Brass/ Zink Alloy, Glass Lens
- With cover / Without cover
- Door Thickness : 1.5 mm, 2.0 mm, 3.0 mm
- Application : Wooden Doors, Metal Doors.

Finishes



BP



GP



AB



AC




CP



SN

Fire Rated Door Viewer

EN-DV-004



Specifications

- UL Listed peephole Fire fire rated door eye viewer for front door.
- UL Listed, UL 10C Fire Rated 1.5 hours.
- Material : Steel, glass lens

Features

- With cover/ without cover
- Application : Wooden doors, metal door
- Door thickness : D=40-65 mm

Finishes



BP



CP



SN



AB




AC




GP

Door Viewer

EN-DV-005



EN-DV-006



Specifications

- Material : Brass/ Zink Alloy, Glass Lens
- With cover / Without cover
- Door Thickness : 1.5 mm, 2.0 mm.3.0 mm
- Application : Wooden Doors, Metal Doors.

Finishes



BP



GP



AB



AC




CP



SN

Door Viewer

EN-DV-007



Specifications

- Material : Steel, Glass Lens
- With cover / Without cover
- Door Thickness : D = 35-60 mm
- Application : Wooden Doors, Metal Doors.

Finishes



BP



GP



AB



AC



CP




SN

Door Stops



Floor Mounted Door Stops

EN-DS-001



Specifications

- Stainless Steel Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

EN-DS-002



Specifications

- Stainless Steel / Zink Alloy Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB




AC

Floor Mounted Door Stops

EN-DS-003



EN-DS-004



Specifications

- Stainless Steel Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

EN-DS-005



Specifications

- Stainless Steel / Zink Alloy Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Floor Mounted Door Stops

EN-DS-006



Specifications

- Stainless Steel Door Stopper
- Floor mounted type
- Screw and plug included

Finishes



SSS



PSS



BP



GP




AB



AC

EN-DS-007



Specifications

- Stainless Steel Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Floor Mounted Door Stops

EN-DS-008



Specifications

- Stainless Steel / Zink Alloy Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Wall Mounted Door Stops

EN-DS-009



Specifications

- Stainless Steel Door Stopper
- Wall mounted type
- Screw included

Finishes



SSS



PSS



BP



GP




AB



AC

Wall Mounted Door Stops

EN-DS-010



Specifications

- Stainless Steel Door Stopper
- Wall mounted type

Finishes



SSS



PSS



BP



GP



AB



AC

EN-DS-011



Specifications

- Zink Alloy Door Holder
- Wall mounted type

Finishes



SSS



PSS



BP



GP



AB




AC



SN

Wall Mounted Door Stops

EN-DS-012



Specifications

- Stainless Steel Concave Stopper
- Wall mounted type

Finishes



SSS



PSS



BP



GP



AB




AC




SN

EN-DS-013



EN-DS-014




Specifications


- Stainless Steel Door Stopper
- Wall mounted type, also can be used as coat hook.
- Screws included

Magnetic Door Stops

EN-DS-015



EN-DS-016



Specifications

- Stainless Steel / Zink Alloy Door Stopper, Magnetic

Finishes



SSS



PSS



AC



GP



AB




CP



NP

Magnetic Door Stops

EN-DS-017



Specifications

- Stainless Steel / Zink Alloy Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

EN-DS-018



Specifications

- Zink Alloy Door Stopper, Magnetic
- Floor mounted type

Finishes



BP



GP



AB



AC




CP




SN

Wall Mounted Door Stops

EN-DS-019



EN-DS-020



Specifications

- Foot Operated Door Holder Door Mounted Type
- Material : Stainless Steel/ Zink Alloy

Finishes



SSS



PSS



SNP



SCP




AB



AC

Floor Mounted Door Stops

EN-DS-021



Specifications

- Stainless Steel Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

EN-DS-022



Specifications

- Stainless Steel Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Floor Mounted Door Stops

EN-DS-023



Specifications

- Stainless Steel Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Wall Mounted Door Stops

EN-DS-024



Specifications

- Stainless Steel Door Stopper
- Wall mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Floor Mounted Door Stops

EN-DS-025



Specifications

- Stainless Steel Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Wall Mounted Door Stops

EN-DS-026



Specifications

- Stainless Steel Door Stopper
- Wall mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Magnetic Door Stops

EN-DS-027




Specifications

- Rubber Magnetic Door Stopper Catch Kit For Bifold Door
- Used on bifold Doors
- Material : Rubber

Door Stops

EN-DS-028



Specifications

- Hinge pin Door Stopper
- Stainless Steel
- No fasteners necessary
- Fits most standard residential door hinges
- Self-adjusting pad protects your door
- Decorative finish to match any home decoration

Finishes



SSS



PSS



BP



GP




AB



AC

Door Holder and Stoper

EN-DS-029




Specifications


- Overhead Door Holder & Stopper
- Stainless Steel
- Non- Handed
- Single-Acting Doors
- Interior/Exterior Applications
- Durable
- Easy to Intall
- Improved Corrosion Resistance

Floor Mounted Door Stops

EN-DS-030



EN-DS-031



EN-DS-032



Specifications

- Stainless Steel Door Stopper
- Floor mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Wall Mounted Door Stops

EN-DS-033



Specifications

- Stainless Steel Door Stopper
- Wall mounted type

Finishes



SSS



PSS



BP



GP




AB



AC

Roller Catch


EN-RL-001



Specifications

- Stainless Steel Roller Catch

EN-RL-002



Specifications

- Heavy Duty Roller Catch
- Stainless Steel 304 grade / Brass
- Easy installation
- Adjustable roller

Finishes



SSS



PSS



CP



GP



AB





AC



SN

Flush Bolt


EN-FBW-08



Specifications

- Stainless Steel Flush Door Bolt for Wooden door
- Size : 8", 10", 12", 18", 24"

EN-FBM-08



Specifications

- Stainless Steel Flush Door Bolt for Metal door
- Size : 6", 8", 10", 12", 18", 24"

NOTE: Last two digit suffixes in the itemcode varies as per rod length as indicated above

Finishes



SSS



PSS



BP



GP




AB



AC

Flush Bolt

EN-AFBM-12



Specifications

- Automatic Bolt for Metal door
- Fully Automatic-inactive door is latched when active door closes, bolts retract when active door is opened
- Non handed
- Bolts have 3/4" throw with a T/8 vertical adjustment
- Standard Rod Length is 12", which is measured from the center of the flush bolt body to the bolt tip
- Optional rod lengths available for top bolt for 18", 24", 36" and 48"

NOTE: Last two digit suffixes in the itemcode varies as per rod length as indicated above

Finishes



SSS



PSS



BP



GP




AB



AC

Flush Bolt

EN-AFBW



Specifications

- Fully Automatic-inactive door is latched when active door closes, bolts retract when active door is opened
- Non handed
- Stainless steel
- Size : 215 x 25mm

NOTE: Last two digit suffixes in the itemcode varies as per rod length as indicated above

Finishes



SSS



PSS



BP



AC




AB

Security Door Guard


EN-DG-001

Security Door Guard



EN-DG-002

Concealed Security Door chain



EN-DG-003

Security Door chain



Specifications

- Material : Stainless Steel / Zink alloy

Finishes



SSS



PSS



SNP



SCP



AB




AC

Dust Proof Socket

EN-DP-001

Dust Proof Socket / Strike



Finishes



SSS



PSS



PVD




AB



AC

EN-DP-002

Dust Proof Strike with Plate



Specifications

- Material : Stainless Steel

Finishes



SSS



PSS



PVD



AB




AC

Dust Proof Socket

EN-DP-003

Dust Proof Strike with Plate



Specifications

- Material : Brass

Finishes



P&L



S&L



SCP



AB




AC



SNP

EN-DP-004

Dust Proof Strike



Specifications

- Material : Stainless Steel

Finishes



SSS



PSS



PVD




AB




AC

Flush Pull Handle


EN-FP-001




EN-FP-002




EN-FP-003




EN-FP-004



EN-FP-005



EN-CP-001



Specifications

- Material : Stainless Steel 304 / 316 grade

Finishes



SSS



PSS



MB




AB




AC

Flush Pull Handle


EN-CH-001




EN-CH-002




EN-CH-003




EN-CH-004



EN-FP-006



EN-FP-007



Specifications

- Material : Stainless Steel 304 / 316 grade

Finishes



SSS



PSS



MB




AB



AC

Flush Pull Handle


EN-FP-008




EN-FP-009



EN-FP-010



EN-FP-011



Specifications

- Material : Stainless Steel 304 / 316 grade

Finishes



SSS



PSS



MB




AB




AC

Europrofile Round Escutcheon


EN-ES-001




EN-ES-002




EEN-ES-003



EN-ES-S004




EN-ES-005




EN-ES-006



EN-ES-007



EN-ES-008



Finishes



SSS



PSS



PVD



AB



MB

Finishes

SSS	Satin Stainless Steel	
PSS	Polished Stainless Steel	
PVD	Physical Vapor Deposition	
BP	Polished Brass	
GP	Gold Plated	
AB	Antique Brass	
AC	Antique Copper	
CP	Polished Chrome	
SN	Satin Nickel	
SCP	Satin Chrome Plate	
SNP	Satin Nickel Plate	
P&L	Polish + Clear coating	
S&L	Satin + Clear coating	
MB	Matte Black	

UK & Europe



Head Office
Entrar Access Technologies UK LTD
124 City Road,
EC1V 2NX
London, United Kingdom
Call: +44 7949 265624
England and Wales - CR: 06294297

Middle East & Africa



Entrar Access Technologies
GBC 2,
Opposite to Old Airport Arrival Terminal
C Ring Rd, Doha, Qatar
Call: +974 4402 3014

Entrar Line Trading L.L.C
Smartplace Business Center
Level 2, The Iridium Building
Al Barsha, Dubai, UAE
Call: +971 5080 94464

India & Far East



Entrar Access Technologies India Pvt Ltd
No A-83, First Floor,
Road No 2, Mahipalpur Extn
New Delhi, India
Call: +91 8310330566

